

# SAFETY DATA SHEET CHRYSALIS LEGEND ELITE

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CHRYSALIS LEGEND ELITE

Product number LEGM\_AE0105\_SSW

Internal identification 6016

Container size 1L

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Furniture polish. For professional use only.

Uses advised against Not for oral consumption.

### 1.3. Details of the supplier of the safety data sheet

Supplier Chrysalis Supplies Limited

Unit 9a, Crest Rise

Thurmaston Leicestershire I F4 9FX

info@chrysalis.uk.com

Manufacturer UK - Merlin Chemicals Ltd.

Unit 5 Passfield Mill Business Park.

Liphook, Hampshire, GU30 7RR

Tel: +44 (0)1428 751122

email: technical@kersia-group.com

EU - Kersia Deutschland GmbH, Marie-Curie-Straße 23

53332 Bornheim - Sechtem

# 1.4. Emergency telephone number

**Emergency telephone** Out of Office Hours Emergency Information:-

For accidents and spillages involving this product that pose a threat to the environment, or

human health, or require immediate first aid advice call:- +44(0) 7050 265597.

Note:- This number will not accept order queries or calls dealing with equipment breakdowns.

UK Environment Agency 24hour Advisory Service 0800 807060. Irish Environmental

Protection Agency 1890 335599 (This is a Lo Call Number)

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

**Health hazards** Eye Irrit. 2 - H319

Environmental hazards Not Classified

#### CHRYSALIS LEGEND ELITE

#### 2.2. Label elements

### Hazard pictograms



Signal word Warning

Hazard statements H319 Causes serious eye irritation.

**Precautionary statements** P280 Wear protective gloves/ protective clothing/ eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention.

P404 Store in a closed container.

P501 Dispose of contents/ container in accordance with national regulations.

**Detergent labelling** < 5% non-ionic surfactants, Contains 1,3-Bis(hydroxymethyl)-5,5-dimethylimidazoline-2,4-

dione, 3,7-Dimethylocta-1,6-dien-3-ol

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

1-METHOXY-2-PROPANOL 1-5%

CAS number: 107-98-2 EC number: 203-539-1 REACH registration number: 01-

2119457435-35-XXXX

Classification

Flam. Liq. 3 - H226 STOT SE 3 - H336

## **C9-11 ALCOHOL ETHOXYLATE WITH 6.5M ETHYLENE**

1-5%

OXIDE

CAS number: 68439-46-3

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318

The full text for all hazard statements is displayed in Section 16.

Composition comments To the best of our knowledge, all of the substances used in this product are being supported

for the relevent application in REACH.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

General information For immediate First Aid advice in the UK, dial 111. In case of accident or if you feel unwell,

seek medical advice immediately (show the label where possible).

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Get medical attention if any discomfort continues.

#### CHRYSALIS LEGEND ELITE

**Ingestion** Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention

immediately. Show this Safety Data Sheet to the medical personnel.

Skin contact Wash off promptly and flush contaminated skin with water. Promptly remove clothing if soaked

through and flush skin with water. Get medical attention if symptoms are severe or persist.

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of

water. Continue to rinse for at least 15 minutes and get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

**General information** Prolonged contact may result in dryness of skin. Eye contact will result in irritation.

Inhalation Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat,

mouth and nose.

Ingestion Unlikely route of exposure without deliberate abuse. If neat chemical is ingested, irritation of

the mouth, throat and GI tract may occur. If dilute chemical is ingested some soreness of the

mouth, throat and GI tract may occur.

**Skin contact** Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. Use

solutions may cause mild irritation, especially to open cuts and abrasions.

**Eye contact** Irritating to eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor**Treat symptomatically.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

media suitable for the surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** On heating irritating fumes may be formed.

Hazardous combustion

products

Oxides of carbon.

#### 5.3. Advice for firefighters

Protective actions during

firefighting

Protective clothing and respiratory protection should be worn when tackling fires involving this product. Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

#### SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

#### 6.2. Environmental precautions

Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the

Environmental Agency or other appropriate regulatory body. Avoid or minimise the creation of

any environmental contamination.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Contain and absorb spillage with sand, earth or other non-

combustible material. Collect and place in suitable labelled containers and seal securely. For

waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections See sections 8,12 & 13

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions Wear suitable protective equipment for prolonged exposure and/or high concentrations of

vapours, spray or mist. Read and follow manufacturer's recommendations.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store below

40°C.

7.3. Specific end use(s)

Specific end use(s) Furniture polish. Refer to Product Information Sheet.

Usage description Refer to use instructions.

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

#### 1-METHOXY-2-PROPANOL

Long-term exposure limit (8-hour TWA): WEL 100 ppm 375 mg/m³ Short-term exposure limit (15-minute): WEL 150 ppm 560 mg/m³ Sk

WEL = Workplace Exposure Limit Sk = Can be absorbed through the skin.

### Ingredient comments

Where an exposure level is quoted, a risk assessment should consider if there is a need to monitor the atmosphere of the working environment. Results should be compared against the WEL and/or DNEL information provided. The Long Term WEL refers to total exposure of a worker to a specific substance averaged out over an 8 hour period.

The Short Term WEL refers to a single exposure of a worker to a specific substance over a 15 minute period.

If the Short Term WEL is exceeded and no Long Term Limit is set, further exposure during the working shift is not permitted. Further controls should be implemented to ensure that future exposure to the substance is reduced below the levels set before the activity is repeated/continued. Where no Short Term WEL exists, guidance from the HSE is to use a value of three times the Long Term WEL.

The WEL limits are laid down in the EH40 list as supplied by the HSE. Where a worker is exposed to levels approaching a limit, further exposure control measures should be considered to reduce exposure to the substance. DNEL and/or PNEC information is supplied by manufacturers of substances in accordance with REACH legislation (Regulation (EC) No 1907/2006), and is used to provide suitable risk reduction measures to limit exposure of the user of the substance to a non hazardous level. If the measured level of exposure by a route divided by the DNEL for the route is greater than 1, then further exposure controls should be implemented as described in section 8.2. Where new information becomes available under REACH, this will be passed on as revisions to the Safety Data Sheet.

#### 8.2. Exposure controls

#### CHRYSALIS LEGEND ELITE

#### Protective equipment





Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

Personal protection

The PPE indicated above is not a COSHH assessment. It represents PPE that should be considered during the manufacture, distribution, use and final disposal stages of this product's life cycle. It is the responsibility of employers to conduct a COSHH/risk assessment to determine appropriate PPE levels. The information given below should be used to support this assessment. Where possible replace manual processes with automated or closed processes to minimise contact with the product.

Eye/face protection

Wear approved, tight fitting safety glasses where splashing is probable. Refer to EN Standard 166 to select appropriate level of protection.

Hand protection

Rubber (natural, latex). Neoprene. Polyvinyl chloride (PVC). Refer to Standard EN 374 and

EN 16523

Other skin and body

protection

Provide eyewash station. Wear suitable protective clothing as protection against splashing or contamination. Reference to EN 13832 and EN 943 is useful when selecting footwear and

Hygiene measures

Promptly remove non-impervious clothing that has become contaminated, provided it is not adhered to the skin. Wash contaminated clothing before reuse. Provide eyewash station and safety shower.

Respiratory protection

No specific recommendation made, but respiratory protection must be used if the general level exceeds the Workplace Exposure Limit.

Environmental exposure

controls

Do not allow the substance to contaminate surface water/ground water. See points 6, 12 &13.

General Health and Safety

Measures.

The above requirements refer to the neat chemical. In-use solutions may have a lower classification, however, a full risk assessment should be carried out before handling any chemical(s). Risk assessments should refer to COSHH and any other relevant legislation or industry specific guidelines governing the use of chemicals.

### SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance Liquid

Colour White.

Odour Characteristic.

Odour threshold Not applicable.

**pH** pH (concentrated solution): 7 - 8

Not applicable.

Melting pointNot applicable.Initial boiling point and rangeNot applicable.Flash pointNot applicable.Evaporation rateNot applicable.

**Evaporation factor** 

#### CHRYSALIS LEGEND ELITE

Flammability (solid, gas) Not applicable.

Upper/lower flammability or

explosive limits

Not applicable.

Other flammability

Vapour pressure

Vapour density

Not applicable.

Not applicable.

Not applicable.

0.995 - 1.005

Bulk density

Not applicable.

Solubility(ies)

Soluble in water.

Partition coefficient Not applicable. Not technically practical for mixtures.

Auto-ignition temperature Not applicable.

Decomposition Temperature Not applicable.

Viscosity Not determined.

Explosive properties Not applicable.

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties Not applicable. Contains no Oxidising Components.

9.2. Other information

Refractive index

Particle size

Not applicable.

Molecular weight

Not applicable.

Volatility

Not applicable.

Saturation concentration

Not applicable.

Critical temperature

Not applicable.

Volatile organic compound

Not applicable.

Explosive Properties Not Classified as Explosive

Storage Temperature Range 0 - 40°C

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity Not expected to react when correctly stored and used. Mixing with other chemicals may

produce unexpected reactions.

10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended. - See note 10.6.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Refer to section 10.1. Do not mix with Hypochlorite based chemicals, this could result in a

dangerous heating of the solution.

#### 10.4. Conditions to avoid

**Conditions to avoid** Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid Strong acids. Bleach.

10.6. Hazardous decomposition products

Hazardous decomposition

Does not decompose when used and stored as recommended. - See section 10.5.

products

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity - oral

**ATE oral (mg/kg)** 46,783.63

**General information** See section 4.2.

**Inhalation** Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat,

mouth and nose. - See section 4.2.

IngestionMay cause irritation to mouth, throat and GI tract.Skin contactThere may be mild irritation at the site of contact.

Eye contact Irritating to eyes.

### SECTION 12: Ecological information

Ecotoxicity This product is not classified as environmentally hazardous. However, this does not exclude

the possibility that large or frequent spills can have a harmful or damaging effect on the

environment.

12.1. Toxicity

### 12.2. Persistence and degradability

Persistence and degradability The surfactant(s) used in this preparation complies (comply) with the biodegradability criteria

as laid down in the European Detergents Regulation No 648/2004 as amended.

12.3. Bioaccumulative potential

Bioaccumulative potential Not expected to bioaccumulate.

Partition coefficient Not applicable. Not technically practical for mixtures.

12.4. Mobility in soil

**Mobility** The product contains substances which are water soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not determined.

# SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be

considered. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation

and any local authority requirements. Do not mix with other chemicals.

**Disposal methods** Small volumes of use solution can be disposed of to sewers.

### **SECTION 14: Transport information**

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

### Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

### SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and Labelling of Chemicals (GB CLP) and considers UK National REACH

legislation.

EU legislation European Regulation (EC) No 1272/2008 (as amended) on Classification, Labelling and

Packaging of Substances and Mixtures.

Also considered is the REACH Regulation (EC) No.1907/2006 (as amended).

### 15.2. Chemical safety assessment

#### **Pcs Information**

No chemical safety assessment has been carried out.

### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

(EC) No. 1272/2008: EU Regulation on Classification, Labelling and Packaging of Substances and Mixtures.

NPIS - National Poisons Information Service.

vPvB - Very Persistent, Very bioaccumulative. PBT - Persistent, Bioaccumulative & Toxic.

REACH - Registration, Evaluation, Authorisation & restriction of CHemicals (Regulation EC

1907/2006).

DNEL - Derived No Effect Limit.

PNEC - Predicted No Effect Concentration.

COSHH - Control of Substances Hazardous to Health.

Industry - Refers in section 8 to application of the substance in an industrial process. Professional - Refers in section 8 to application/use of the preparation/product in a skilled

trade premises.

General information This document is a Safety Data Sheet, NOT a CoSHH assessment. It is the customer's

responsibility to conduct a full CoSHH assessment, taking into account the information held within this document along with other local factors considered in a risk assessment. The Risk and Hazard statements listed below are the full text of abbreviations used in this document.

They are not the final classification, for this refer to section 2.

Revision comments No Change to Formulation, or Classification, SDS re-issued to comply with UK Post Brexit

legislation references.

Revision date 01/12/2020

SDS number 27114

Hazard statements in full H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

**REACH extended MSDS** 

comments

REACH requires that persons handling chemicals should take the necessary risk

management measures, in accordance with assessments from manufacturers and importers of chemical substances. The relevent recommendations must be passed along the supply

chain. These assessments are generally reported in Exposure Scenarios.

Where Exposure Scenarios have been provided for substances used in this product, the

relevent information is incorporated into the safety data sheet.

END OF SAFETY DATA SHEET

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.