



SAFETY DATA SHEET CHRYSLIS LEGEND PURELITE PLUS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	CHRYSLIS LEGEND PURELITE PLUS
Product number	LEGM_AP0040_4NX5
Internal identification	2401
Container size	5L

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Antibacterial hand soap.
Uses advised against	Not for direct contact with Food or Beverage stuffs. Not for oral consumption.

1.3. Details of the supplier of the safety data sheet

Supplier	Chrysalis Supplies Limited Unit 9a, Crest Rise Thurmaston Leicestershire LE4 9EX info@chrysalis.uk.com
Manufacturer	UK - Merlin Chemicals Ltd. Unit 5 Passfield Mill Business Park, Liphook, Hampshire, GU30 7RR Tel: +44 (0)1428 751122 email: technical@kersia-group.com EU - Kersia Deutschland GmbH, Marie-Curie-Straße 23 53332 Bornheim - Sechtem

1.4. Emergency telephone number

Emergency telephone	Out of Office Hours Emergency Information:- For accidents and spillages involving this product that pose a threat to the environment, or human health, or require immediate first aid advice call:- +44(0) 7050 265597. Note:- This number will not accept order queries or calls dealing with equipment breakdowns. UK Environment Agency 24hour Advisory Service 0800 807060. Irish Environmental Protection Agency 1890 335599 (This is a Lo Call Number)
----------------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Eye Irrit. 2 - H319
Environmental hazards	Not Classified

CHRYSALIS LEGEND PURELITE PLUS

2.2. Label elements

Hazard pictograms



Signal word

Warning

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/ attention.

Detergent labelling

< 5% amphoteric surfactants, < 5% cationic surfactants, Contains PHENOXYETHANOL

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

WATER	60-100%
--------------	----------------

CAS number: 7732-18-5

Classification

Not Classified

PEG-15 glyceryl isostearate	5-10%
------------------------------------	--------------

CAS number: 68958-58-7

EC number: 614-860-5

Classification

Aquatic Chronic 3 - H412

1-PROPANAMINIUM, 3-AMINO-N-(CARBOXYMETHYL)- N,N-DIMETHYL-, N-C8-18 (EVEN NUMBERED) ACYL DERIVS., HYDROXIDES, INNER SALTS	1-5%
---	-------------

CAS number: 97862-59-4

EC number: 931-296-8

REACH registration number: 01-2119488533-30-XXXX

Classification

Eye Dam. 1 - H318

Aquatic Chronic 3 - H412

CHRYSALIS LEGEND PURELITE PLUS

DIDECYL DIMETHYL AMMONIUM CHLORIDE <1%
CAS number: 7173-51-5 EC number: 230-525-2 M factor (Acute) = 10
Classification Met. Corr. 1 - H290 Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411
LAURYL BETAINE <1%
CAS number: 683-10-3 EC number: 211-669-5
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318
2-PHENOXYETHANOL <1%
CAS number: 122-99-6 EC number: 204-589-7 REACH registration number: 01-2119488943-21-XXXX
Classification Acute Tox. 4 - H302 Eye Irrit. 2 - H319
PEG LANOLIN <1%
CAS number: 61790-81-6
Classification Not Classified
SODIUM COCOAMPHOACETATE <1%
CAS number: 61791-32-0 EC number: 263-164-4
Classification Eye Dam. 1 - H318
ETHYLENEDIAMINETETRAACETIC ACID <1%
CAS number: 60-00-4 EC number: 200-449-4
Classification Not Classified

CHRYSALIS LEGEND PURELITE PLUS

PEG 7 GLYCERINE COCOATE			<1%
CAS number: 68201-46-7			
Classification			
Not Classified			
LACTIC ACID			<1%
CAS number: 79-33-4		EC number: 201-196-2	
Classification			
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			
Octadecan-1-ol, ethoxylated			<1%
CAS number: 9005-00-9		EC number: 500-017-8	
		REACH registration number: 01-2119977092-34-XXXX	
M factor (Acute) = 1			
Classification			
Eye Dam. 1 - H318			
Aquatic Acute 1 - H400			
Aquatic Chronic 2 - H411			
ALKYLPOLYGLYCOSIDE C10-16			<1%
CAS number: 110615-47-9			
Classification			
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			
Octadecan-1-ol			<1%
CAS number: 112-92-5		EC number: 204-017-6	
Classification			
Not Classified			
D-GLUCOPYRANOSE, CARBOXYMETHYL ETHER			<1%
CAS number: 383178-66-3		REACH registration number: 01-2119489418-23	
Classification			
Skin Irrit. 2 - H315			
Eye Irrit. 2 - H319			

CHRYSALIS LEGEND PURELITE PLUS

SODIUM COCOYL GLUTAMATE	<1%
CAS number: 68187-32-6	
Classification	
Eye Irrit. 2 - H319	

The full text for all hazard statements is displayed in Section 16.

Composition comments The Biocidally Active components of this product are supported in the Biocidal Products Regulation.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical advice/attention if you feel unwell.
Inhalation	Unlikely route of exposure as the product does not contain volatile substances.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if symptoms are severe or persist.
Skin contact	Rinse with water.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Get medical attention if symptoms are severe or persist after washing.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information	The product is considered to be a low hazard under normal conditions of use.
Inhalation	Unlikely route of exposure unless deliberate inhalation has occurred, this may result in irritation of nose, mouth and airways.
Ingestion	Unlikely route of exposure without deliberate abuse. If neat chemical is ingested, irritation of the mouth, throat and GI tract may occur.
Skin contact	No significant hazard at normal ambient temperatures.
Eye contact	May cause redness and irritation (stinging sensation) to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Contains a blend of Surfactants and Lanolin derivatives in an aqueous solution

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is non-combustible. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards The product is non-combustible. If heated, irritating vapours may be formed.

5.3. Advice for firefighters

Protective actions during firefighting Protective clothing and respiratory protection should be worn when tackling fires involving this product. Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

CHRYSALIS LEGEND PURELITE PLUS

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation of the working area. Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Small quantities can be dissolved/diluted in water and flushed to drain. Dispose of contents/container in accordance with national regulations.

6.4. Reference to other sections

Reference to other sections See sections 8, 12 & 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Refer to section 8. Ensure adequate ventilation of the working area. Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store below 40°C.

7.3. Specific end use(s)

Specific end use(s) Antibacterial hand soap.

Usage description Refer to use instructions.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Ingredient comments Where an exposure level is quoted, a risk assessment should consider if there is a need to monitor the atmosphere of the working environment. Results should be compared against the WEL and/or DNEL information provided. Where a worker is exposed to levels approaching a limit, further exposure control measures should be considered to reduce exposure to the substance. DNEL and/or PNEC information is supplied by manufacturers of substances in accordance with REACH legislation (Regulation (EC) No 1907/2006), and is used to provide suitable risk reduction measures to limit exposure of the user of the substance to a non-hazardous level. If the measured level of exposure by a route divided by the DNEL for the route is greater than 1, then further exposure controls should be implemented as described in section 8.2. Where new information becomes available under REACH, this will be passed on as revisions to the Safety Data Sheet.

2-PHENOXYETHANOL (CAS: 122-99-6)

DNEL

Professional - Inhalation; Long term systemic effects: 8.07 mg/m³
 Professional - Dermal; Long term systemic effects: 34.72 mg/kg bw/day
 - Inhalation; Long term local effects: 8.07 mg/m³

CHRYSALIS LEGEND PURELITE PLUS

PNEC	<ul style="list-style-type: none"> - marine water; 0.0943 mg/l - STP; 24.8 mg/l - Intermittent release; 3.44 mg/l - Sediment (Freshwater); 7.23 mg/kg - Sediment (Marinewater); 0.723 mg/kg - Soil; 1.26 mg/kg - Fresh water; 0.943 mg/l
-------------	---

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist.

Personal protection

The PPE indicated above is not a COSHH assessment. It represents PPE that should be considered during the manufacture, distribution, use and final disposal stages of this product's life cycle. It is the responsibility of employers to conduct a COSHH/risk assessment to determine appropriate PPE levels. The information given below should be used to support this assessment. Where possible replace manual processes with automated or closed processes to minimise contact with the product.

Eye/face protection

Wear approved, tight fitting safety glasses where splashing is probable. Refer to EN Standard 166 to select appropriate level of protection.

Hand protection

No specific hand protection noted, but gloves may still be advisable.

Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination. Reference to EN 13832 and EN 943 is useful when selecting footwear and clothing.

Hygiene measures

Provide eyewash station and safety shower. Promptly remove non-impervious clothing that has become contaminated, provided it is not adhered to the skin.

Respiratory protection

No specific recommendation made, but respiratory protection must be used if the general level exceeds the Workplace Exposure Limit.

Environmental exposure controls

Do not allow the substance to contaminate surface water/ground water. See points 6, 12 & 13.

General Health and Safety Measures.

A full Risk Assessment should be carried out before handling any chemical(s). Risk Assessments should refer to COSHH, and any other relevant legislation or industry specific guidelines governing the use of chemicals.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Pearlised
Odour	Surfactant
Odour threshold	Not applicable.
pH	5 - 6
Melting point	Not applicable.

CHRYSALIS LEGEND PURELITE PLUS

Initial boiling point and range	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Evaporation factor	Not applicable.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	1.0 - 1.02 @ 20 Degrees C
Bulk density	Not applicable.
Solubility(ies)	Soluble in water.
Partition coefficient	Technically not feasible.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	Not determined.
Explosive properties	Not applicable.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Refractive index	Not applicable.
Particle size	Not applicable.
Molecular weight	Not applicable.
Volatility	Not applicable.
Saturation concentration	Not applicable.
Critical temperature	Not applicable.
Volatile organic compound	Not applicable.
Explosive Properties	Not Classified as Explosive
Storage Temperature Range	0 - 40°C

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactivity	Not expected to react when correctly stored and used. Mixing with other chemicals may produce unexpected reactions.
-------------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended. - See note 10.6.
------------------	--

10.3. Possibility of hazardous reactions

CHRYSALIS LEGEND PURELITE PLUS

Possibility of hazardous reactions Refer to section 10.1.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid Strong acids. Bleach.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended. - See section 10.5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 34,375.0

General information See section 4.2.

Inhalation Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose. - See section 4.2.

Ingestion Unlikely route of exposure without deliberate abuse. There may be soreness and redness of mouth and throat. A soapy taste may be reported. May cause irritation/discomfort to mucous membranes.

Skin contact Under normal conditions of use exposure time will be short and the likelihood of causing skin irritation will be very low. Long exposure may result in skin dryness.

Eye contact May cause temporary eye irritation.

SECTION 12: Ecological information

Ecotoxicity This product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.1. Toxicity

Acute aquatic toxicity

Acute toxicity - fish Normal use of diluted product is unlikely to pose a risk.
See note 12.0.

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) used in this preparation complies (comply) with the biodegradability criteria as laid down in the European Detergents Regulation No 648/2004 as amended.

12.3. Bioaccumulative potential

Bioaccumulative potential Not expected to bioaccumulate.

Partition coefficient Technically not feasible.

12.4. Mobility in soil

Mobility The product contains substances which are water soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

CHRYSALIS LEGEND PURELITE PLUS

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be considered. Do not mix with other chemicals.

Disposal methods Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Small volumes of use solution can be disposed of to sewers.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations UK Adoption and Implementation of the UN Globally Harmonised System (GHS) on Classification and Labelling of Chemicals (GB CLP) and considers UK National REACH legislation.

EU legislation European Regulation (EC) No 1272/2008 (as amended) on Classification, Labelling and Packaging of Substances and Mixtures.
Also considered is the REACH Regulation (EC) No.1907/2006 (as amended).

15.2. Chemical safety assessment

CHRYSALIS LEGEND PURELITE PLUS

Pcs Information

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<p>(EC) No. 1272/2008 : EU Regulation on Classification, Labelling and Packaging of Substances and Mixtures.</p> <p>NPIS - National Poisons Information Service.</p> <p>vPvB - Very Persistent, Very bioaccumulative.</p> <p>PBT - Persistent, Bioaccumulative & Toxic.</p> <p>REACH - Registration, Evaluation, Authorisation & restriction of CHemicals (Regulation EC 1907/2006).</p> <p>DNEL - Derived No Effect Limit.</p> <p>PNEC - Predicted No Effect Concentration.</p> <p>COSHH - Control of Substances Hazardous to Health.</p> <p>Industry - Refers in section 8 to application of the substance in an industrial process.</p> <p>Professional - Refers in section 8 to application/use of the preparation/product in a skilled trade premises.</p>
General information	<p>This document is a Safety Data Sheet, NOT a CoSHH assessment. It is the customer's responsibility to conduct a full CoSHH assessment, taking into account the information held within this document along with other local factors considered in a risk assessment. The Risk and Hazard statements listed below are the full text of abbreviations used in this document. They are not the final classification, for this refer to section 2.</p>
Revision comments	<p>No Change to Formulation, or Classification, SDS re-issued to comply with UK Post Brexit legislation references.</p>
Revision date	01/12/2020
SDS number	27130
Hazard statements in full	<p>H290 May be corrosive to metals.</p> <p>H302 Harmful if swallowed.</p> <p>H312 Harmful in contact with skin.</p> <p>H314 Causes severe skin burns and eye damage.</p> <p>H315 Causes skin irritation.</p> <p>H318 Causes serious eye damage.</p> <p>H319 Causes serious eye irritation.</p> <p>H400 Very toxic to aquatic life.</p> <p>H411 Toxic to aquatic life with long lasting effects.</p> <p>H412 Harmful to aquatic life with long lasting effects.</p>
REACH extended MSDS comments	<p>REACH requires that persons handling chemicals should take the necessary risk management measures, in accordance with assessments from manufacturers and importers of chemical substances. The relevant recommendations must be passed along the supply chain. These assessments are generally reported in Exposure Scenarios.</p> <p>Where Exposure Scenarios have been provided for substances used in this product, the relevant information is incorporated into the safety data sheet.</p>

END OF SAFETY DATA SHEET

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.