



SAFETY DATA SHEET

CHRYSALIS LEGEND GUM REMOVER PLUS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	CHRYSALIS LEGEND GUM REMOVER PLUS
Product number	LEGM_AC0661_SDW
Internal identification	4091
Container size	1L

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Chewing gum remover. For professional use only.
Uses advised against	Not for direct contact with Food or Beverage stuffs. Not for oral consumption.

1.3. Details of the supplier of the safety data sheet

Supplier	Chrysalis Supplies Limited Unit 9a, Crest Rise Thurmaston Leicestershire LE4 9EX info@chrysalis.uk.com
Manufacturer	UK - Merlin Chemicals Ltd. Unit 5 Passfield Mill Business Park, Liphook, Hampshire, GU30 7RR Tel: +44 (0)1428 751122 email: technical@kersia-group.com EU - Kersia Deutschland GmbH, Marie-Curie-Straße 23 53332 Bornheim - Sechtem

1.4. Emergency telephone number

Emergency telephone	Out of Office Hours Emergency Information:- For accidents and spillages involving this product that pose a threat to the environment, or human health, or require immediate first aid advice call:- +44(0) 7050 265597. Note:- This number will not accept order queries or calls dealing with equipment breakdowns. UK Environment Agency 24hour Advisory Service 0800 807060. Irish Environmental Protection Agency 1890 335599 (This is a Lo Call Number)
----------------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Asp. Tox. 1 - H304
Environmental hazards	Not Classified

CHRYSALIS LEGEND GUM REMOVER PLUS

2.2. Label elements

Hazard pictograms



Signal word	Danger
Hazard statements	H304 May be fatal if swallowed and enters airways.
Precautionary statements	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P331 Do NOT induce vomiting. P405 Store locked up.
Supplemental label information	EUH066 Repeated exposure may cause skin dryness or cracking.
Contains	HYDROCARBONS C11-C14, n-ALKANES, ISOALKANES, CYCLICS <2% AROMATICS
Supplementary precautionary statements	P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

HYDROCARBONS C11-C14, n-ALKANES, ISOALKANES, CYCLICS <2% AROMATICS	30-60%
CAS number: —	EC number: 926-141-6
	REACH registration number: 01-2119456620-43-XXXX

Classification

Asp. Tox. 1 - H304

FUMED SILICA AS-200

1-5%

CAS number: 69012-64-2

Classification

Not Classified

The full text for all hazard statements is displayed in Section 16.

Composition comments	To the best of our knowledge, all of the substances used in this product are being supported for the relevant application in REACH.
-----------------------------	---

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). For immediate First Aid advice in the UK, dial 111.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Rinse nose and mouth with water. Get medical attention immediately.

CHRYSALIS LEGEND GUM REMOVER PLUS

Ingestion	Aspiration hazard if swallowed. Avoid vomiting and stomach flushing because of the risk of aspiration. Rinse mouth thoroughly with water. Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.
Skin contact	Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if irritation persists after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Promptly wash eyes with plenty of water while lifting the eyelids. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information	Prolonged contact may result in dryness of skin. Eye contact may result in redness and stinging discomfort.
Inhalation	Harmful: danger of serious damage to health by prolonged exposure through inhalation. Harmful: possible risk of irreversible effects through inhalation.
Ingestion	Harmful if swallowed. May cause irritation/discomfort to mucous membranes. Aspiration during swallowing or vomiting may severely damage the lungs. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
Skin contact	Repeated exposure may cause skin dryness or cracking. Use solutions may cause mild irritation, especially to open cuts and abrasions.
Eye contact	May cause redness and irritation (stinging sensation) to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Check for respiratory disorders. Treat symptomatically.
-----------------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Use alcohol-resistant foam, carbon dioxide or dry powder to extinguish. Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

5.2. Special hazards arising from the substance or mixture

Specific hazards	Burning produces irritating, toxic and obnoxious fumes.
-------------------------	---

5.3. Advice for firefighters

Protective actions during firefighting	Protective clothing and respiratory protection should be worn when tackling fires involving this product. Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation of the working area. Wear protective clothing as described in Section 8 of this safety data sheet.
-----------------------------	--

6.2. Environmental precautions

Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
----------------------------------	---

6.3. Methods and material for containment and cleaning up

CHRYSALIS LEGEND GUM REMOVER PLUS

Methods for cleaning up Stop leak if safe to do so. Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable labelled containers and seal securely. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections See sections 8,12 & 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Refer to section 8. Ensure adequate ventilation of the working area. Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store below 40°C.

7.3. Specific end use(s)

Specific end use(s) Chewing gum remover. Refer to Product Information Sheet.

Usage description Refer to use instructions.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

FUMED SILICA AS-200

Long-term exposure limit (8-hour TWA): 6 mg/m³ dust

Long-term exposure limit (8-hour TWA): 2.4 mg/m³ respirable dust

Ingredient comments

Where an exposure level is quoted, a risk assessment should consider if there is a need to monitor the atmosphere of the working environment. Results should be compared against the WEL and/or DNEL information provided. The Long Term WEL refers to total exposure of a worker to a specific substance averaged out over an 8 hour period.

The Short Term WEL refers to a single exposure of a worker to a specific substance over a 15 minute period.

If the Short Term WEL is exceeded and no Long Term Limit is set, further exposure during the working shift is not permitted. Further controls should be implemented to ensure that future exposure to the substance is reduced below the levels set before the activity is repeated/continued. Where no Short Term WEL exists, guidance from the HSE is to use a value of three times the Long Term WEL.

The WEL limits are laid down in the EH40 list as supplied by the HSE. Where a worker is exposed to levels approaching a limit, further exposure control measures should be considered to reduce exposure to the substance. Where new information becomes available under REACH, this will be passed on as revisions to the Safety Data Sheet.

DIBASIC ESTER

CHRYSALIS LEGEND GUM REMOVER PLUS

Ingredient comments	<p>Where an exposure level is quoted, a risk assessment should consider if there is a need to monitor the atmosphere of the working environment. Results should be compared against the WEL and/or DNEL information provided. The Long Term WEL refers to total exposure of a worker to a specific substance averaged out over an 8 hour period.</p> <p>The Short Term WEL refers to a single exposure of a worker to a specific substance over a 15 minute period.</p> <p>If the Short Term WEL is exceeded and no Long Term Limit is set, further exposure during the working shift is not permitted. Further controls should be implemented to ensure that future exposure to the substance is reduced below the levels set before the activity is repeated/continued. Where no Short Term WEL exists, guidance from the HSE is to use a value of three times the Long Term WEL.</p> <p>The WEL limits are laid down in the EH40 list as supplied by the HSE. Where a worker is exposed to levels approaching a limit, further exposure control measures should be considered to reduce exposure to the substance. DNEL and/or PNEC information is supplied by manufacturers of substances in accordance with REACH legislation (Regulation (EC) No 1907/2006) , and is used to provide suitable risk reduction measures to limit exposure of the user of the substance to a non hazardous level. If the measured level of exposure by a route divided by the DNEL for the route is greater than 1, then further exposure controls should be implemented as described in section 8.2. Where new information becomes available under REACH, this will be passed on as revisions to the Safety Data Sheet.</p>
----------------------------	---

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist.

Personal protection

The PPE indicated above is not a COSHH assessment. It represents PPE that should be considered during the manufacture, distribution, use and final disposal stages of this product's life cycle. It is the responsibility of employers to conduct a COSHH/risk assessment to determine appropriate PPE levels. The information given below should be used to support this assessment. Where possible replace manual processes with automated or closed processes to minimise contact with the product.

Eye/face protection

Wear approved, tight fitting safety glasses where splashing is probable. Refer to EN Standard 166 to select appropriate level of protection.

Hand protection

Rubber (natural, latex). Neoprene. Polyvinyl chloride (PVC). Refer to Standard EN 374 and EN 16523 The expected use of this product is such that gloves with a breakthrough time of >60 minutes should be regarded as sufficient. Gloves should be inspected regularly for damage and replaced when necessary.

Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination. Reference to EN 13832 and EN 943 is useful when selecting footwear and clothing.

Hygiene measures

Provide eyewash station and safety shower. Promptly remove non-impervious clothing that has become contaminated, provided it is not adhered to the skin.

CHRYSALIS LEGEND GUM REMOVER PLUS

Respiratory protection	No specific recommendation made, but respiratory protection must be used if the general level exceeds the Workplace Exposure Limit. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked.
Environmental exposure controls	Do not allow the substance to contaminate surface water/ground water. See points 6, 12 &13.
General Health and Safety Measures.	A full Risk Assessment should be carried out before handling any chemical(s). Risk Assessments should refer to COSHH, and any other relevant legislation or industry specific guidelines governing the use of chemicals.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Viscous liquid.
Colour	Colourless.
Odour	Characteristic.
Odour threshold	No information available.
pH	Data lacking.
Melting point	Not applicable.
Initial boiling point and range	Not applicable.
Flash point	63°C
Evaporation rate	Not applicable.
Evaporation factor	Not applicable.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	0.85
Bulk density	Not applicable.
Solubility(ies)	Soluble in water.
Partition coefficient	Technically not feasible.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	Not determined.
Explosive properties	Not applicable.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Refractive index	Not applicable.
-------------------------	-----------------

CHRYSALIS LEGEND GUM REMOVER PLUS

Particle size	Not applicable.
Molecular weight	Not applicable.
Volatility	Not applicable.
Saturation concentration	Not applicable.
Critical temperature	Not applicable.
Volatile organic compound	Not applicable.
Explosive Properties	Not Classified as Explosive
Storage Temperature Range	0 - 40°C

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactivity Not expected to react when correctly stored and used. Mixing with other chemicals may produce unexpected reactions.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. - See note 10.6.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Refer to section 10.1.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Strong acids. Oxidising agents Do not mix with Hypochlorite based chemicals this could result in a hazardous reaction producing heat, CO₂ and O₂.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended. - See section 10.5.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Aspiration hazard**

Aspiration hazard Aspiration hazard if swallowed.

General information

See section 4.2.

Inhalation

May cause irritation to the respiratory system. High concentrations of vapours may irritate respiratory system and lead to headache, fatigue, nausea and vomiting. High concentrations may be fatal.

Ingestion

Aspiration hazard if swallowed. Irritating. May cause nausea, stomach pain and vomiting. May be fatal if swallowed and enters airways.

Skin contact

Repeated exposure may cause skin dryness or cracking.

Eye contact

May cause irritation to eyes

SECTION 12: Ecological information

CHRYSALIS LEGEND GUM REMOVER PLUS

Ecotoxicity This product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.1. Toxicity

Acute aquatic toxicity

Acute toxicity - fish Normal use of diluted product is unlikely to pose a risk.
See note 12.0.

12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential Not expected to bioaccumulate.

Partition coefficient Technically not feasible.

12.4. Mobility in soil

Mobility The product is miscible with water and may spread in water systems. The product will spread on the water surface.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be considered. Do not mix with other chemicals.

Disposal methods Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

CHRYSALIS LEGEND GUM REMOVER PLUS

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	UK Adoption and Implementation of the UN Globally Harmonised System (GHS) on Classification and Labelling of Chemicals (GB CLP) and considers UK National REACH legislation.
EU legislation	European Regulation (EC) No 1272/2008 (as amended) on Classification, Labelling and Packaging of Substances and Mixtures. Also considered is the REACH Regulation (EC) No.1907/2006 (as amended).

15.2. Chemical safety assessment

Pcs Information

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	(EC) No. 1272/2008 : EU Regulation on Classification, Labelling and Packaging of Substances and Mixtures. NPIS - National Poisons Information Service. vPvB - Very Persistent, Very bioaccumulative. PBT - Persistent, Bioaccumulative & Toxic. REACH - Registration, Evaluation, Authorisation & restriction of CHemicals (Regulation EC 1907/2006). DNEL - Derived No Effect Limit. PNEC - Predicted No Effect Concentration. COSHH - Control of Substances Hazardous to Health. Industry - Refers in section 8 to application of the substance in an industrial process. Professional - Refers in section 8 to application/use of the preparation/product in a skilled trade premises.
General information	This document is a Safety Data Sheet, NOT a CoSHH assessment. It is the customer's responsibility to conduct a full CoSHH assessment, taking into account the information held within this document along with other local factors considered in a risk assessment. The Risk and Hazard statements listed below are the full text of abbreviations used in this document. They are not the final classification, for this refer to section 2.
Revision comments	No Change to Formulation, or Classification, SDS re-issued to comply with UK Post Brexit legislation references.
Revision date	01/12/2020
SDS number	27152
Hazard statements in full	H304 May be fatal if swallowed and enters airways.

CHRYSALIS LEGEND GUM REMOVER PLUS

REACH extended MSDS comments

REACH requires that persons handling chemicals should take the necessary risk management measures, in accordance with assessments from manufacturers and importers of chemical substances. The relevant recommendations must be passed along the supply chain. These assessments are generally reported in Exposure Scenarios. Where Exposure Scenarios have been provided for substances used in this product, the relevant information is incorporated into the safety data sheet.

END OF SAFETY DATA SHEET

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.